


# Yukon MPR



[www.yukonoptics.ru](http://www.yukonoptics.ru)

**RoHS**  
COMPLIANT  
PRODUCT





\_\_\_\_\_ 4  
- \_\_\_\_\_ 5  
\_\_\_\_\_ 6  
SD \_\_\_\_\_ 7



\_\_\_\_\_ 8  
\_\_\_\_\_ 9  
Ranger 5x42 \_\_\_\_\_ 10  
\_\_\_\_\_ 11  
\_\_\_\_\_ 11  
\_\_\_\_\_ 11  
\_\_\_\_\_ 13  
\_\_\_\_\_ 13

\_\_\_\_\_ 14  
\_\_\_\_\_ 14  
\_\_\_\_\_ 15  
\_\_\_\_\_ 16  
\_\_\_\_\_ 17  
\_\_\_\_\_ 18  
\_\_\_\_\_ 19  
\_\_\_\_\_ 20  
\_\_\_\_\_ 21  
\_\_\_\_\_ 22



- |           |                   |             |     |
|-----------|-------------------|-------------|-----|
| ① 2" TFT  |                   | ⑥ [●/⏸]     |     |
| ② AV IN   |                   | ⑦ [⏮] FRW / | /   |
|           | Ranger/Ranger Pro | ⑧ [⏭] REW / |     |
| ③ USB 2.0 |                   | ⑨           | SD. |
| ④ AV OUT  |                   | ⑩ [C/M]     | /   |
| ⑤ [R/P]   |                   | ⑪ LED       |     |
|           |                   | ⑫ [⏻]       | /   |

- Yukon MPR
- AV
- AV in
- USB
- 
- 
- SD
-



①

②

③


④

⑤

⑥

D1: 720x576  
D1: 720x480  
VGA: 640x480

⑦



( . ) .

USB ( )

USB

900	180

	/
900	150/180 ( )

SD



	720x576	720x480	640x480
2	45	55	65
4	90	110	130
8	180	220	260
16	360	440	520
32	720	880	1040

[⏻]

3

[⌂/M]



[⏪] [⏩]



[⌂/M]

AUTO,  
(

Enter

[●/▶]).



[⊕]

- 

[C/M]

- 

[⏪]

[⏩]

" "




- 
- 
- 


" "

[C/M]

## Ranger 5x42 Ranger Pro 5x42.

- Ranger, "AV out" Ranger ( AV, AV ).
- "AV in" AV "AV in" Ranger 5x42 ( Ranger Pro 5x42).
- Ranger 5x42.





[R/P]

[R]

AV

AV:

[●/▶||]

[R/P]


[P]

[◀◀] [▶▶]

[●/▶||]


/

[◀/M]




SD

( Windows XP).



0000 9999.

"100Video".



AV

AV

AV

[R/P] AV,

[P].


[◀◀] [▶▶]

[●/▶▶]

[R/P]

[P],

[◀/M]



- [C/M]


- [◀◀] [▶▶] " " [●/▶]



- [C/M]

- [C/M]

- [◀◀] [▶▶] " " [●/▶]



- " " " SD" [●/▶] (

- [C/M]



• [C/M]

" "

• [◀◀] [▶▶] " ", [●/▶▶]




• "720x576", "720x480", "640x480"

[●/▶▶] ( . ).



• [C/M]

- [C/M]
- [◀▶] [▶▶]
- [●/▶▶]



- [●/▶▶] ( . )
- [C/M]

- [C/M]
- [◀▶] [▶▶]
- [●/▶▶]

- "PAL" ( NTSC) [●/▶▶] ( . )
- "PAL" ( NTSC) [●/▶▶] ( . )



- [C/M]
- " " [◀◀] [▶▶] " / " [●/▶]



- " " [●/▶]
- ( . ). "Y/M/D" ( / / ) "D/M/Y" ( / / ) [●/▶]
- ( . ).



- " " [●/▶]
- ( . ).
- " " " " [●/▶] ( . ).



- " " [●/▶|]
- ( . ). [◀◀] [▶▶]
- [◀/M] ( . ). [●/▶|]



- [◀/M]
- " " [◀◀] [▶▶] " " [●/▶|]
- ( . ).



- [●/▶|] ( . ) - "1", "5" " " "
- [◀/M]



- [C/M]
- [◀▶] [▶▶] ( . ) [●/▶]



- [●/▶] - "1", "5" " " "
- [C/M] ( . )

- [C/M]
- [◀▶] [▶▶] ( . ) [●/▶]



- [●/▶] ( . ) - "10", "30" " " "60"
- [C/M]

- " " [C/M]
- " " [◀▶] [▶▶] " " [●/▶] ( . ).



- " " [●/▶] ( . ). " " SD"



- " " " " [●/▶] ( . ).



	27041
	2.0" TFT LCD
	PAL/NTSC ( )
	960x240
	AVI
	720x576 (25 / )
	720x480 (30 / )
	640x480 (30 / )
	10 / 30 / 60
	1 / 5 /
	1 / 5 /
	SD ( 1 32 )
	70
USB	2.0
	220 / DC 5
	5 / 150
	900 / 3,7
AV in	4- , 2,5
AV out	4- , 2,5
	/ / /
	/ / /
	/ / /

- 
- 
- 
- 
- 

- 
- 
- 

e-mail:

[euservice@yukonopticsglobal.com](mailto:euservice@yukonopticsglobal.com)



